

EU-OVERENSSTEMMELSESERKLÆRING

DOCIP-4176231-DA

Identifikation af produktet: **2735081**

Navn og adresse på
fabrikanten eller dennes
bemyndigede repræsentant: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

 **HOFTRADING**

DENNE OVERENSSTEMMELSESERKLÆRING UDSTEDES PÅ ANSVAR:

Navn og adresse på
fabrikanten: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Identifikation af produktet: **BELORIA Track Spot, Finish: dark bronze Product size:
spot Ø56*H93 w/o 1-phase adaptor, supply by buyer
Class II- IP20 w/ 1x VDE approved GU10 Socket
max.10W for PAR51 (excl.bulb)
2735081**
Se bilag A for en liste over alle produkter, der er omfattet af
denne erklæring

Genstanden for erklæringen,
som beskrevet ovenfor, er i
overensstemmelse med den
relevante EU-
harmoniseringslovgivning: **Low Voltage Directive (LVD) 2014/35/EU
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU)
2015/863**

Harmoniserede standarder: **Safety of electrical equipment
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015**

Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010

UNDERSKREVET FOR OG PÅ VEGNE AF:

Sted og dato: **Heerlen, 3. april 2026**

Underskrift:



Navn, stilling: **Thorsten Klein
Product Manager**

**Yariëk Koehof
CTO**

Firmaets navn: **HOF Trading B.V.**

HOF Trading B.V.

EU-OVERENSSTEMMELSESERKLÆRING

BILAG A – Liste over produkter

Følgende produkter er omfattet af EU-overensstemmelseserklæringen DOCIP 4176231:

- 2735081 BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735098 BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735104 BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735111 BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735128 BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735302 BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735319 BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735326 BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735333 BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735340 AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)
- 2735357 AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)

EU-CONFORMITEITSVERKLARING

DOCIP-4176231-NL

Productidentificatie: **2735081**

Naam en adres van de fabrikant of zijn gemachtigde: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

 **HOFTRADING**

DEZE CONFORMITEITSVERKLARING WORDT VERSTREKT ONDER VOLLEDIGE VERANTWOORDELIJKHEID VAN:

Naam en adres van de fabrikant: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Productidentificatie: **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb) 2735081**
Zie bijlage A voor een lijst van alle producten die onder deze verklaring vallen

Het hierboven beschreven voorwerp is in overeenstemming met de desbetreffende harmonisatiewetgeving van de Unie: **Low Voltage Directive (LVD) 2014/35/EU
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU) 2015/863**

Geharmoniseerde normen: **Safety of electrical equipment**
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015

Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010

ONDERTEKEND VOOR EN NAMENS:

Plaats en datum van afgifte: **Heerlen, 3 april 2026**

Handtekening:



Naam, functie: **Thorsten Klein
Product Manager**

**Yariëk Koehof
CTO**

Naam van het bedrijf: **HOF Trading B.V.**

HOF Trading B.V.

EU-CONFORMITEITSVERKLARING

Bijlage A - Productlijst

De volgende producten vallen onder de EU-conformiteitsverklaring DOCIP 4176231:

- 2735081 **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735098 **BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735104 **BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735111 **BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735128 **BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735302 **BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735319 **BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735326 **BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735333 **BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735340 **AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**
- 2735357 **AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**

EU DECLARATION OF CONFORMITY

DOCIP-4176231-EN

 HOFTRADING

Unique product identification: **2735081**

Name and address of manufacturer / EU-AR: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

THIS DECLARATION OF CONFORMITY IS ISSUED UNDER THE SOLE RESPONSIBILITY OF:

Name and address of manufacturer: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Product identification: **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb) 2735081**
See appendix A for a list of all products covered by this declaration

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation: **Low Voltage Directive (LVD) 2014/35/EU Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU) 2015/863**

Harmonised standards: **Safety of electrical equipment**
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015

Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010

SIGNED FOR AND ON BEHALF OF:

Place and date of issue: **Heerlen, 3 April 2026**

Signature:



Name, position: **Thorsten Klein
Product Manager**

**Yariëk Koehof
CTO**

Company name: **HOF Trading B.V.**

HOF Trading B.V.

EU DECLARATION OF CONFORMITY

APPENDIX A – list of products

The following products are covered by EU declaration of conformity DOCIP 4176231:

- 2735081 **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735098 **BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735104 **BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735111 **BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735128 **BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735302 **BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735319 **BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735326 **BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735333 **BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735340 **AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**
- 2735357 **AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**

EU-VAATIMUSTENMUKAISUUSVAKUUTUS

DOCIP-4176231-FI

Tuotteen tunnistetiedot: 2735081

 HOFTRADING

Valmistajan ja hänen valtuutetun
edustajansa nimi ja osoite: **HOF Trading B.V.**
Snellius 1
6422 RM Heerlen
Netherlands

TÄMÄ VAATIMUSTENMUKAISUUSVAKUUTUS ON ANNETTU YKSINOMAISELLA VASTUULLA:

Valmistajan nimi ja osoite: **HOF Trading B.V.**
Snellius 1
6422 RM Heerlen
Netherlands

Tuotteen tunnistetiedot: **BELORIA Track Spot, Finish: dark bronze Product**
size: spot Ø56*H93 w/o 1-phase adaptor, supply by
buyer Class II- IP20 w/ 1x VDE approved GU10
Socket max.10W for PAR51 (excl.bulb)
2735081
Liitteessä A luetellaan kaikki tämän ilmoituksen
kattamat tuotteet

Edellä kuvattu vakuutuksen
kohde on asiaa koskevan
unionin
yhdenmukaistamislainsäädännön
vaatimusten mukainen: **Low Voltage Directive (LVD) 2014/35/EU**
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU)
2015/863

Yhdenmukaistettuihin
standardeihin: **Safety of electrical equipment**
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015

Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010

ALLEKIRJOITTU SINUSTA JA PUOLESTA:

Antamisaikpaikka ja –
päivämäärä: **Heerlen, 3. huhtikuuta 2026**

Allekirjoitus:



Nimi, tehtävä: **Thorsten Klein**
Product Manager

Yariëk Koehof
CTO

Yrityksen nimi: **HOF Trading B.V.**

HOF Trading B.V.

EU-VAATIMUSTENMUKAISUUSVAKUUTUS

LIITE A – Luettelo tuotteista

Seuraavat tuotteet kuuluvat EY-vaatimustenmukaisuusvakuutus DOCIP 4176231:

- 2735081 BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735098 BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735104 BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735111 BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735128 BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735302 BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735319 BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735326 BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735333 BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735340 AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)
- 2735357 AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)

DÉCLARATION UE DE CONFORMITÉ

DOCIP-4176231-FR

Identification du produit: **2735081**

Nom et adresse du fabricant
ou de son mandataire: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

 **HOFTRADING**

LA PRÉSENTE DÉCLARATION DE CONFORMITÉ EST ÉTABLIE SOUS LA SEULE RESPONSABILITÉ DU:

Nom et adresse du
fabricant: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Identification du produit: **BELORIA Track Spot, Finish: dark bronze Product size:
spot Ø56*H93 w/o 1-phase adaptor, supply by buyer
Class II- IP20 w/ 1x VDE approved GU10 Socket
max.10W for PAR51 (excl.bulb)
2735081**
Voir l'annexe A pour une liste de tous les produits couverts
par cette déclaration

L'objet de la déclaration
décrit ci-dessus est
conforme à la législation
d'harmonisation de l'Union
applicable: **Low Voltage Directive (LVD) 2014/35/EU
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU)
2015/863**

Normes harmonisées: **Safety of electrical equipment**
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015

Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010

SIGNÉ PAR ET AU NOM DE:

Date et lieu d'établissement: **Heerlen, 3 avril 2026**

Signature:



Nom, fonction: **Thorsten Klein
Product Manager**

**Yariëk Koehof
CTO**

Nom du fabricant: **HOF Trading B.V.**

HOF Trading B.V.

DECLARATION UE DE CONFORMITE

Annexe A - liste des produits

Les produits suivants sont couverts par la déclaration de conformité DOCIP 4176231:

- 2735081 **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735098 **BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735104 **BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735111 **BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735128 **BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735302 **BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735319 **BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735326 **BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735333 **BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735340 **AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**
- 2735357 **AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**

EU-KONFORMITÄTSERKLÄRUNG

DOCIP-4176231-DE

 HOFTRADING

Produktidentifikation: **2735081**

Name und Anschrift des Herstellers oder seines Bevollmächtigten: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

DIE ALLEINIGE VERANTWORTUNG FÜR DIE AUSSTELLUNG DIESER KONFORMITÄTSERKLÄRUNG TRÄGT:

Name und Anschrift des Herstellers: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Produktidentifikation: **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb) 2735081**
Siehe Anhang A für eine Liste aller Produkte, die unter diese Erklärung fallen

Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union: **Low Voltage Directive (LVD) 2014/35/EU
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU) 2015/863**

Harmonisierte Normen: **Safety of electrical equipment
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015**

**Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010**

UNTERZEICHNET FÜR UND IM NAMEN VON:

Ort und Datum der Ausstellung: **Heerlen, 3. April 2026**

Unterschrift:



Name, Funktion: **Thorsten Klein
Product Manager**

**Yariëk Koehof
CTO**

Name des Unternehmens: **HOF Trading B.V.**

HOF Trading B.V.

EU-KONFORMITÄTSERKLÄRUNG

Anhang A - Liste der Produkte

Die folgenden Produkte fallen unter die Konformitätserklärung DOCIP 4176231:

- 2735081 **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735098 **BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735104 **BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735111 **BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735128 **BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735302 **BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735319 **BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735326 **BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735333 **BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735340 **AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**
- 2735357 **AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**

DICHIARAZIONE DI CONFORMITÀ UE

DOCIP-4176231-IT

 HOFTRADING

Identificazione di prodotto: **2735081**

Nome ed indirizzo del
fabbricante o del suo
rappresentante autorizzato: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

LA PRESENTE DICHIARAZIONE DI CONFORMITÀ È RILASCIATA SOTTO LA RESPONSABILITÀ ESCLUSIVA DE:

Nome e indirizzo del
produttore: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Identificazione di prodotto: **BELORIA Track Spot, Finish: dark bronze Product size:
spot Ø56*H93 w/o 1-phase adaptor, supply by buyer
Class II- IP20 w/ 1x VDE approved GU10 Socket
max.10W for PAR51 (excl.bulb)
2735081**
Vedere l'allegato A per un elenco di tutti i prodotti coperti da
questa dichiarazione

L'oggetto della dichiarazione
di cui sopra è conforme alla
pertinente normativa di
armonizzazione dell'Unione: **Low Voltage Directive (LVD) 2014/35/EU
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU)
2015/863**

Norme armonizzate: **Safety of electrical equipment**
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015

Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010

FIRMATO IN VECE E PER CONTO DI:

Luogo e data del rilascio: **Heerlen, 3 aprile 2026**

Firma:



Nome e cognome, funzione: **Thorsten Klein
Product Manager**

**Yariëk Koehof
CTO**

Nome dell'azienda: **HOF Trading B.V.**

HOF Trading B.V.

DICHIARAZIONE DI CONFORMITÀ UE

ALLEGATO A – Elenco dei prodotti

I seguenti prodotti sono coperti dalla dichiarazione CE di conformità DOCIP 4176231:

- 2735081 **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735098 **BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735104 **BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735111 **BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735128 **BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735302 **BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735319 **BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735326 **BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735333 **BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)**
- 2735340 **AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**
- 2735357 **AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)**

EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

DOCIP-4176231-SV

Identifiera produkten: **2735081**

Namn på och adress till tillverkaren eller dennes representant: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

 **HOFTRADING**

DENNA FÖRSÄKAN OM ÖVERENSSTÄMMELSE UTFÄRDAS EGET ANSVAR:

Namn på och adress till tillverkaren: **HOF Trading B.V.
Snellius 1
6422 RM Heerlen
Netherlands**

Identifiera produkten: **BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
2735081**

Se bilaga A för en förteckning över alla produkter som omfattas av denna deklARATION

Föremålet för försäkran ovan överensstämmer med den relevanta harmoniserade unionslagstiftningen: **Low Voltage Directive (LVD) 2014/35/EU
Restriction of Hazardous Substances (RoHS) Directives 2011/65/EU and (EU) 2015/863**

Harmoniserade standarder: **Safety of electrical equipment
EN 60570:2003 + A1:2018 + A2:2020
EN IEC 60598-1:2021 + A11:2022
EN IEC 60598-1:2024 + A11:2024
EN 61347-1:2015**

**Exposure of humans to electromagnetic fields (EMF)
EN 62493:2015 + A1:2022
EN 62493:2010**

UNDERTECKNAT FÖR:

Ort och datum: **Heerlen, 3 april 2026**

Namnteckning:



Namn, befattning: **Thorsten Klein
Product Manager**

**Yariet Koehof
CTO**

Namnet på företaget: **HOF Trading B.V.**

HOF Trading B.V.

EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

BILAGA A – Lista över produkter

Följande produkter omfattas av EG-försäkrans om överensstämmelse DOCIP 4176231:

- 2735081 BELORIA Track Spot, Finish: dark bronze Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735098 BELORIA Track Spot, Finish: anodized caramel Product size: spot Ø56*H93 w/o 1-phase adaptor, supply by buyer Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735104 BELANO M TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735111 BELANO M TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735128 BELANO M TRACK Pendant Lamp, Finish: anodized black cylinder: Ø56*255 w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735302 BELANO L TRACK Pendant Lamp, Finish: dark bronze cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735319 BELANO L TRACK Pendant Lamp, Finish: anodized caramel cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735326 BELANO L TRACK Pendant Lamp, Finish: anodized black cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735333 BELANO L TRACK Pendant Lamp, Finish: sanded beige cylinder: Ø96*255 total Ø96*1812mm w/o 1-phase adaptor, supply by buyer w/ 2000mm PVC soft visible cable Class II- IP20 w/ 1x VDE approved GU10 Socket max.10W for PAR51 (excl.bulb)
- 2735340 AVARO Track Pendant Lamp, Finish: anodized bronze Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)
- 2735357 AVARO Track Pendant Lamp, Finish: sanded black Product size: spot Ø46*H63 base:Ø100*25 outside cable length is 2000mm, with PVC soft cable, without 1 phase adaptor, supply by buyer Class I- IP20 w/ 1x VDE approved E27 Socket max.15W (excl.bulb)